	т т						
			("6170170")	or			
			("1853822")	or			
	1		("6197159")	or			
			("1931855")	or			
]		("6209549")	or			
			("1959911")	or			
			("6223452")	or			
			("1965900")	or			
			("6209549")	or			
			("1971331")	or			
			("6223452")	or			
			("5196667")	or			
		i	("6265782")	or			
]		("5284260")	or	•		
			("6280573")	or			
			("5289612")	or			
		ŀ	("6365003")	or			•
			("5299365")	or			
			11	or			
			("5325809")	or			
			("6394331")	or			
			("5335128")	or			
			("6399557")	or			
1			(·"5365675")	or			
			("6615511")	or			
			("5368822")	or			
	1		("4276194")	or	•.		
}			("5381588")	or			
			("4313787")	or			
			("5179951")				
]		("4954285")	or or		•	•
]		("5518309")				
			("4973484")	or			
			("5525278")	or		•	
				or			
			("5246611")	or			
			("5553632")	or			
			("5505977")	or			
			("5557860")	or			
			("6171377")	or			
			("5557857")	or			
			("3619322")	or			
			("5566838")	or			
			("3616031")	or			
			("5592751")	or			-
			("3853698")	or			
			("5602405")	or			
			("3810429")	or			
			("5632101")	or			
			("3839146")	or			
			("5702962")	or			

2	BRS	L 5	2	controller and gas adj (dryer drier drying dry) and tower and (regenerative	2005/07/11 12:31
					,
				("3833127") or ("5720323") or ("3808092")).PN.	

	Type	L #	Hits	Search Text	DBs	Time Stamp
7	BRS	L4	15	electronic adj controller and gas adj (dryer drier drying dry) and valve	1	2005/07/11 12:55
8	BRS	L8	0	("2004/0231182").URP N.	USPAT	2005/07/11 13:03
9	IS&R	L9	50	(("4324265") or ("4407164") or ("4920662") or ("3685323") or ("3808846") or ("3805407") or ("4367595") or ("4406071") or ("4407867") or ("4474661") or ("44550840") or ("4550840") or ("4572725") or ("4574495") or ("4574495") or ("4594796") or ("4605019") or ("4605019") or ("4617743") or ("4617743") or ("4617743") or ("4830637") or ("4853822") or ("4934855") or ("4934855") or ("4959911") or ("4965900") or ("4974334") or ("5284260") or ("5284260") or ("52896365") or ("5335428") or	USPAT	2005/07/11 13:03

			("5365675") or		
			("5368822") or		
			("5381588") or		
			("5479951") or		
			("5518309") or		
	•		("5525278") or		
			("5553632") or		
		l	("5557860") or		
			("5557857") or		
			("5566838") or		
			("5592751") or		
			("5602405") or		
			("5632101") or		
			("5702962") or		
			("5720323")).PN.		
	-				
					,
				l .	

	Туре	L #	Hits	Search Text	DBs	Time Stamp
10	IS&R	L1 0	1	("0000019").PN.	USPAT	2005/07/11 13:04
11	BRS	L1 1	120	1 9	I .	2005/07/11 13:04
12	BRS	L1 2	11	11 and valve and control and circuit	1	2005/07/11 13:05
13	BRS	L1 3	14	11 and electronic adj control		2005/07/11 13:06
14	BRS	L1 4	3	11 and (regenerative regeneration regenerate dessicant)		2005/07/11 13:07
15	IS&R	L1 5	3	(("5524362") or ("6128825") or ("5715621")).PN.	USPAT	2005/07/11 13:07

	Туре	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L1 6	o	15 and (clear transparent translucent) and housing		2005/07/11 13:27
17	BRS	L1 7	11 1	11 and transparent adj housing		2005/07/11 13:27
18	BRS	L1 8	44	transparent adj housing and display and alarm	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN	2005/07/11 13:35
19	BRS	L1 9	11	dryer and four adj core adj cable	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN	2005/07/11 13:36

	Туре	L #	Hits	Search Text	DBs	Time Stamp
20	BRS	L2 0	1	dryer and four adj core adj cable and compressor	1	2005/07/11 13:36
21	BRS	L2 1		four adj core adj cable and compressor		2005/07/11 13:36
22	BRS	L2 2	0	(dryer drier drying) and compressor and purge and time adj delay and load and		2005/07/11 13:37
23	BRS	L2 3	2 /	(dryer drier drying) and compressor and purge and time adj delay and load	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN	2005/07/11 13:37
24	BRS	L2 4	1	("6050651").URPN.	USPAT	2005/07/11 13:42

10813921_LIST1.txt

PLUS Search Results for S/N 10813921, Searched July 11, 2005

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

5m6